

Introductie Joomla! ACL Access Control List

Bijeenkomst JUG043

16-06-2025

Access Control List

Theorie

- Introductie ACL
- Basisbegrippen

Praktijk casus

Verenigingssite

- Gebruikers groepen
- Access Levels
- Categorieën
- Artikelen
- Gebruikers
- Menu's

Praktijk casus

Back-end toegang

Front-end toegang

Login – Logout

Extra

- Checklist
- Documenten

Introductie ACL

De ACL (Access Control List) regelt de beveiliging en toegankelijkheid van de website:

- wat gebruikers kunnen zien (Access Levels)
- wat gebruikers kunnen doen (Permissions)

Veelal toegepast bij websites met verschillende “typen” gebruikers
(b.v. Intranet, verenigingswebsites)

Basis begrippen | Access Levels

Waar je toegang toe hebt / wat je mag zien

☐	▲	Level Name ◆
☐	⋮	Public
☐	⋮	Guest
☐	⋮	Registered
☐	⋮	Special
☐	⋮	Super Users


Toegang voor iedereen

Toegang indien niet ingelogd

Toegang indien ingelogd

Toegang tot beheerders
gedeelte en back-end


Toegang tot alles



The screenshot shows the Joomla! article creation form. The 'Access' dropdown menu is highlighted with a red box and a red arrow pointing from the 'Public' level in the table to it. The form includes fields for Status (Published), Category * (Uncategorised), Featured (No), Tags (Type or select some tags), Note (2 words), and Version Note.

Basis begrippen | Permissions

Wat je met die inhoud mag doen



The screenshot shows the Joomla! Permissions interface. On the left is a sidebar menu with a tree structure. The main area is titled 'Permissions' and contains a table with columns for 'Groepsnaam' (Group Name), 'Actie' (Action), 'Rechten instelling' (Rights Setting), and 'Daadwerkelijk recht' (Actual Right).

Groepsnaam	Actie	Rechten instelling	Daadwerkelijk recht
Public	Site Login	Inherited	Allowed (Inherited)
- Guest	Administrator Login	Inherited	Allowed (Inherited)
- Manager	Web Services Login	Inherited	Not Allowed (Inherited)
- Administrator	Offline Access	Inherited	Allowed (Inherited)
- Registered	Super User	Inherited	Not Allowed (Inherited)
- Author	Configure Options	Inherited	Not Allowed (Inherited)
- Editor	Access Administration Interface	Allowed	Allowed
- Publisher	Create	Inherited	Allowed (Inherited)
- Super Users	Delete	Inherited	Allowed (Inherited)
	Edit	Inherited	Allowed (Inherited)
	Edit State	Inherited	Allowed (Inherited)
	Edit Own	Inherited	Allowed (Inherited)
	Edit Custom Field Value	Inherited	Not Allowed (Inherited)

Onderdeel

Groepsnaam

Actie

Rechten instelling

Daadwerkelijk recht

Basis begrippen | Gebruikersgroepen

- Standaard hiërarchie van gebruikersgroepen
- Gebruikersgroepen worden gekoppeld aan Access Level
- Rechten werken via gebruikersgroepen niet rechtstreeks op gebruikers
- Een gebruiker kan aan 1 of meerdere groepen worden gekoppeld

☐	Group Title ↕
☐	Public
☐	- Guest
☐	- Manager
☐	: - Administrator
☐	- Registered
☐	: - Author
☐	: : - Editor
☐	: : : - Publisher
☐	- Super Users

Basis begrippen

☐	▲	Level Name ↕	User Groups With Viewing Access
☐	:	Public	Public
☐	:	Guest	Guest
☐	:	Registered	Manager, Registered, Super Users
☐	:	Special	Author, Manager, Super Users
☐	:	Super Users	Super Users

Joomla! standaarden

Voor iedereen zichtbaar

Zichtbaar indien niet ingelogd

Zichtbaar indien ingelogd

Toegang tot beheerders
gedeelte en back-end

Toegang tot alles

☐	▲	Level Name ↕
☐	:	Public
☐	:	Guest
☐	:	Registered
☐	:	Special
☐	:	Super Users

Gebruikers

Group Title ↕	Public	Guest	Manager	Administrator	Registered	Author	Editor	Publisher	Super Users
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	☒								
		☒							
			☒		☒				☒
			☒			☒			☒
									☒

Basisbegrippen | Voorbeeld

Permissions				Permissions			
Permissions for this component unless they are changed for a specific item.				Permissions for this component unless they are changed for a specific item.			
Expand for notes about setting the permissions.				Expand for notes about setting the permissions.			
Public	Action	Select New Setting	Calculated Setting	Action	Select New Setting	Calculated Setting	Public
- Guest	Configure ACL & Options	Inherited	Not Allowed (Inherited)	Configure ACL & Options	Allowed	Not Allowed (Inherited)	- Guest
- Manager	Configure Options	Inherited	Not Allowed (Inherited)	Configure Options	Inherited	Not Allowed (Inherited)	- Manager
- Administrator	Access Administration Interface	Inherited	Not Allowed (Inherited)	Access Administration Interface	Inherited	Not Allowed (Inherited)	- Administrator
- Registered	Create	Allowed	Allowed	Create	Inherited	Not Allowed (Inherited)	- Registered
- Author	Delete	Inherited	Not Allowed (Inherited)	Delete	Inherited	Not Allowed (Inherited)	- Author
- Editor	Edit	Inherited	Not Allowed (Inherited)	Edit	Inherited	Not Allowed (Inherited)	- Editor
- Publisher	Edit State	Inherited	Not Allowed (Inherited)	Edit State	Inherited	Not Allowed (Inherited)	- Publisher
- Super Users	Edit Own	Inherited	Allowed (Inherited)	Edit Own	Inherited	Not Allowed (Inherited)	- Super Users
	Edit Custom Field Value	Inherited	Not Allowed (Inherited)	Edit Custom Field Value	Inherited	Not Allowed (Inherited)	
	Manage Workflows	Inherited	Not Allowed (Inherited)	Manage Workflows	Inherited	Not Allowed (Inherited)	
	Execute Transition	Inherited	Not Allowed (Inherited)	Execute Transition	Inherited	Not Allowed (Inherited)	

Access Levels

Praktijk Casus

Website voor een sportvereniging met ledenportaal

- Website met:
 - Nieuws,
 - Afgeschermdede ledeninformatie,
 - Bestuurdersinformatie
 - Inschrijfformulieren.
- Doelgroepen: Publiek, Leden, Trainers, Bestuur
- Iedere groep krijgt verschillende toegang & bewerkingsrechten.

Praktijk Casus | 1) Gebruikersgroepen (GP_)

Gebruikers -> Groepen -> Nieuw

Maak aan:


(als kindgroepen van "Registered"):

✓ GP_leden

✓ GP_trainers (onder "Leden")

✓ GP_bestuur (onder "Leden")

✓ GP_redacteuren (kan onder "Manager" of apart)



☐	Group Title ↕
☐	Public
☐	- Guest
☐	- Manager
☐	: - Administrator
☐	: - GP_redacteuren
☐	- Registered
☐	: - Author
☐	: : - Editor
☐	: : : - Publisher
☐	: - GP_leden
☐	: : - GP_bestuur
☐	: : - GP_trainers
☐	- Super Users



Praktijk Casus | 2) Access Levels maken (AL_)

Gebruikers > Toegangsniveaus > Nieuw

Maak aan:

AL_leden → bevat: GP_leden, GP_trainers, GP_bestuur

AL_trainers → bevat: GP_trainers, GP_bestuur

AL_bestuur → bevat: GP_bestuur

AL_redactie → bevat: GP_redacteuren

☐	▲	Level Name ↕	User Groups With Viewing Access
☐	:	Public	Public
☐	:	AL_leden	GP_bestuur, GP_leden, GP_trainers
☐	:	AL_trainers	GP_trainers
☐	:	AL_bestuur	GP_bestuur
☐	:	AL_redactie	GP_redacteuren
☐	:	Guest	Guest
☐	:	Registered	Manager, Registered, Super Users
☐	:	Special	Author, Manager, Super Users
☐	:	Super Users	Super Users



Praktijk Casus | 3) Categorieën maken (CT_)

Inhoud > Categorieën > Nieuw

Maak de volgende categorieën aan:

Nieuws → Toegang: Public

Ledeninfo → Toegang: AL_leden

Trainersmateriaal → Toegang: AL_trainers

Bestuursstukken → Toegang: AL_bestuur

☐	▲	Status	Title	✓ Published	✗ Unpublished	📁 Archived	🗑️ Trashed	Access	ID
☐	⋮	✓	Uncategorised Alias: uncategorised	0	0	0	0	Public	2
☐	⋮	✓	CT_nieuws Alias: ct-nieuws	0	0	0	0	Public	8
☐	⋮	✓	CT_ledeninfo Alias: ct-ledeninfo	0	0	0	0	AL_leden	9
☐	⋮	✓	CT_trainersmateriaal Alias: ct-trainersmateriaal	0	0	0	0	AL_trainers	10
☐	⋮	✓	CT_bestuursstukken Alias: ct-bestuursstukken	0	0	0	0	AL_bestuur	11



Praktijk Casus | 4) Artikelen maken (AT_)

Inhoud > Artikelen > Nieuw

Voorbeeld:

AT_ Welkom leden!" → in CT_ledeninfo

AT_ Training schema 2025" → in CT_trainersmateriaal

AT_ Notulen ALV" → in CT_bestuursstukken



Let op: de toegang van het artikel wordt automatisch overgenomen van de categorie (tenzij je het handmatig aanpast).

	Featured	Status	Title
...	☐	☒	AT_ Notulen ALV Alias: at-notulen-alv Category: CT_bestuursstukken
...	☐	☒	AT_ Training schema 2025 Alias: at-training-schema-2025 Category: CT_trainersmateriaal
...	☐	☒	AT_ Welkom leden! Alias: at-welkom-leden Category: CT_ledeninfo

Praktijk Casus | 5) Gebruikers maken

Gebruikers > Nieuw

Maak een gebruiker aan per groep, en wijs ze toe aan:

GP_leden (demo-acl.lid01)

GP_leden + GP_trainers (demo-acl.trainer01)

GP_leden + GP_trainers + GP_bestuur (demo-acl.bestuur01)

GP_redacteuren (demo-acl.redacteur01)



☐	Name ▲	Username ▼	Enabled ▼	Activated ▼	MFA	User Groups
☐	demo-acl.bestuur01 + Add Note	demo-acl.bestuur01	☒	☒	☒	Multiple Groups Permissions
☐	demo-acl.lid01 + Add Note	demo-acl.lid01	☒	☒	☒	Registered GP_leden Permissions
☐	demo-acl.redacteur01 + Add Note	demo-acl.redacteur01	☒	☒	☒	Registered GP_redacteuren Permissions
☐	demo-acl.siteadmin + Add Note	demo-acl.siteadmin	☒	☒	☒	Super Users Permissions
☐	demo-acl.trainer01 + Add Note	demo-acl.trainer01	☒	☒	☒	Multiple Groups Permissions

Praktijk Casus | 6) Menu's en toegang (MN_)

Menu > Hoofdmenu > Nieuw item

Maak menu-items zoals:

MN_Ledenportal → Toegang: AL_leden

MN_Trainerszone → Toegang: AL_trainers

MN_Bestuursarchief → Toegang: AL_bestuur

☐		Status	Title	Menu	Home	Access	ID
☐	⋮	✓	Home Alias: home Articles » Featured Articles	Main Menu		Public	101
☐	⋮	✓	MN_Ledenportaal Alias: mn-ledenportaal Articles » Category Blog	Main Menu	☐	AL_leden	107
☐	⋮	✓	MN_Trainerszone Alias: mn-trainerszone Articles » Category Blog	Main Menu	☐	AL_trainers	108
☐	⋮	✓	MN_Bestuursarchief Alias: mn-bestuursarchief Articles » Category List	Main Menu	☐	AL_bestuur	109



Koppel het juiste artikel of categorie per item.

Access Levels i.c.m. Permissions

Praktijk Casus | Back-end toegang

Een groep maken waarmee gebruikers toegang krijgen tot de back-end en daar CONTENT kunnen maken en aanpassen. Maar niet verwijderen.


1) Groep aanmaken:

GP_back-end-customer-CONTENT onder Public

2) Gebruiker demo-acl.backend aanmaken en de nieuwe groep koppelen met deze gebruiker

Praktijk Casus | Back-end toegang

3) Back-end Permissions instellen: System > Global Configuration > Permissions




The screenshot shows the Joomla! back-end interface for configuring permissions. The left sidebar lists various components, with 'System' > 'Global Configuration' selected. The main content area shows the 'Permissions' tab, where a list of actions is displayed with their current and calculated settings. Two rows are highlighted with red boxes: 'Administrator Login' and 'Offline Access', both set to 'Allowed'.

Component	Action	Select New Setting	Calculated Setting
Public	Site Login	Inherited	Not Allowed (Inherited)
	Administrator Login	Allowed	Allowed
	Web Services Login	Inherited	Not Allowed (Inherited)
	Offline Access	Allowed	Allowed
	Super User	Inherited	Not Allowed (Inherited)
	Configure Options	Inherited	Not Allowed (Inherited)
	GP_back-end-customer-CONTENT		
- Guest			
	- Manager		
	- Administrator		
- GP_redacteurs			
	- Registered		
- Author			
	- Editor		


Praktijk Casus | Back-end toegang

Voor/zonder permissions



The screenshot shows the Joomla! Administrator Login page. The header includes the Joomla! logo and a 'Demo-ACL' button. A yellow warning box at the top states: 'You do not have access to the Administrator section of this site.' The main content area features the Joomla! logo, a 'Username' field with the value 'demo-acl.backend', a 'Password' field with masked characters, a 'Sign in with a passkey' button, and a 'Log in' button. A 'Forgot your login details?' link is at the bottom. A sidebar on the left contains the text 'Demo-ACL Joomla Administrator Login' and a 'Need Support?' section with links to the Joomla! Support Forum, Documentation, and News.

Met Administrator Login permissions




Praktijk Casus | Back-end toegang

3) Acces Level Special koppelen aan GP_back-end-customer-CONTENT

☐	:	Special	Author, GP_back-end-customer-CONTENT Manager, Super Users	3
--------------------------	---	-------------------------	---	---



Praktijk Casus | Back-end toegang



The screenshot shows the Joomla! 5.3.1 Home Dashboard. The top navigation bar includes the Joomla! logo, version 5.3.1, and links for 'Take a Tour', 'Demo-ACL', and 'User Menu'. The left sidebar contains icons for home, search, and information. The main content area features three panels: 'Logged-in Users' with a table of active users, 'Recently Added Articles' showing no articles, and 'Popular Articles' also showing no articles. At the bottom, there is a keyboard shortcuts section.

Name	Location	Date
demo-acl.siteadmin	Administration	2025-06-11 20:30
demo-acl.backend	Administration	2025-06-11 20:30
demo-acl.backend	Administration	2025-06-11 20:25

Praktijk Casus | Back-end toegang

4) Article permissions instellen voor GP_back-end-customer-CONTENT System > Global Configuration > Articles > Permissions



Editing Layout Category Categories Blog/Featured Layouts List Layouts Shared Integration **Permissions**


Permissions

Permissions for this component unless they are changed for a specific item.

Expand for notes about setting the permissions.

Public	Action	Select New Setting	Calculated Setting
- GP_back-end-customer-CONTENT			
- Guest	Configure ACL & Options	Inherited	Not Allowed (Inherited)
- Manager	Configure Options	Inherited	Not Allowed (Inherited)
: - Administrator	Access Administration Interface	Allowed	Allowed
: - GP_redacteurs	Create	Allowed	Allowed
- Registered	Delete	Inherited	Not Allowed (Inherited)
: - Author	Edit	Allowed	Allowed
: : - Editor	Edit State	Allowed	Allowed
: : : - Publisher	Edit Own	Allowed	Allowed
: - GP_Jeden	Edit Custom Field Value	Inherited	Not Allowed (Inherited)
: - GP_bestuur	Manage Workflows	Inherited	Not Allowed (Inherited)
: - GP_trainers	Execute Transition	Inherited	Not Allowed (Inherited)
- Super Users			

Praktijk Casus | Back-end toegang



The screenshot shows the Joomla! 5.3.1 Home Dashboard. The left sidebar contains a menu with the following items: Toggle Menu, Home Dashboard, Content (expanded), Articles, Categories, Featured Articles, Fields, Field Groups, and Help. The main content area is titled 'Home Dashboard' and features a 'Site' section with 'Articles' and 'Article Categories' buttons. Below this is a 'Recently Added Articles' section with a message: 'No Articles have been created yet.' To the right, there is a 'Logged-in Users' table and a 'Popular Articles' section with a message: 'No Articles have been created yet.'

Name	Location	Date
demo-acl.siteadmin	Administration	2025-06-12 17:18
demo-acl.backend	Administration	2025-06-12 17:18

Praktijk Casus | Back-end toegang

– Registered

– Author

– Editor

Delete


Allowed

Inherited

Not Allowed (Inherited)


demo-acl.siteadmin

demo-acl.backend



The screenshot shows the Joomla! administrator interface for the 'demo-acl.siteadmin' user. The left sidebar contains the standard Joomla! menu. The main content area is titled 'Articles'. At the top, there are buttons for '+ New', '... Actions', and a red-bordered 'Delete' button. Below these are filters for 'Featured', 'Trashed', and 'Category'. The table below shows a single article with the title 'AT_demo-acl.backend', alias 'asd', and category 'Uncategorised'.

✓	Featured	Status	Title
✓			AT_demo-acl.backend Alias: asd Category: Uncategorised



The screenshot shows the Joomla! administrator interface for the 'demo-acl.backend' user. The left sidebar is the same as the previous one. The main content area is titled 'Articles'. At the top, there are buttons for '+ New', '... Actions', and a red-bordered button that is currently disabled. Below these are filters for 'Featured', 'Trashed', and 'Category'. The table below shows a single article with the title 'asd', alias 'asd', and category 'Uncategorised'.

	Featured	Status	Title
			asd Alias: asd Category: Uncategorised

Praktijk Casus | Front-end toegang

Een groep maken waarmee gebruikers toegang krijgen tot de front-end en daar CONTENT kunnen maken en aanpassen. Maar niet verwijderen.


1) Groep aanmaken:

GP_front-end-customer-CONTENT onder Public

2) Gebruiker demo-acl.frontend aanmaken en de nieuwe groep koppelen met deze gebruiker

Praktijk Casus | Front-end toegang

3) Front-end Permissions instellen: System > Global Configuration > Permissions



The screenshot shows the Joomla! Permissions configuration interface. The left sidebar lists the navigation path: System > Global Configuration > Permissions. The main content area shows the 'Permissions' tab with a table of settings. The table has four columns: 'Public', 'Action', 'Select New Setting', and 'Calculated Setting'. Two rows are highlighted with red boxes: the first row for 'GP_back-end-customer-CONTENT' and 'GP_front-end-customer-CONTENT' with 'Site Login' set to 'Allowed', and the second row for 'Administrator' and 'GP_redacteuren' with 'Offline Access' set to 'Allowed'.

Public	Action	Select New Setting	Calculated Setting
- GP_back-end-customer-CONTENT	Site Login	Allowed	Allowed
- GP_front-end-customer-CONTENT	Site Login	Allowed	Allowed
- Guest	Administrator Login	Inherited	Not Allowed (Inherited)
- Manager	Web Services Login	Inherited	Not Allowed (Inherited)
- Administrator	Offline Access	Allowed	Allowed
- GP_redacteuren	Offline Access	Allowed	Allowed
- Registered	Super User	Inherited	Not Allowed (Inherited)
- Author	Configure Options	Inherited	Not Allowed (Inherited)
- Editor	Configure Options	Inherited	Not Allowed (Inherited)
- Publisher	Access Administration Interface	Inherited	Not Allowed (Inherited)
- GP_Jeden	Create	Inherited	Not Allowed (Inherited)

Praktijk Casus | Front-end toegang

Voor/zonder permissions

CASSIOPEIA

You are here: Home

Home

Main Menu

- [Home](#)

Met Site Login permissions

CASSIOPEIA

You are here: Home

Home

Main Menu

- [Home](#)
- [Login](#)

Praktijk Casus | Front-end toegang

3) Article permissions instellen voor GP_front-end-customer-CONTENT System > Global Configuration > Articles > Permissions



Articles Editing Layout Category Categories Blog/Featured Layouts List Layouts Shared Integration **Permissions**

Permissions

Permissions for this component unless they are changed for a specific item.

Expand for notes about setting the permissions.

Public

- GP_back-end-customer-CONTENT

- GP_front-end-customer-CONTENT

- Guest

- Manager

- Administrator

- GP_redacteuren

- Registered

- Author

- Editor

- Publisher

- GP_leden

- GP_bestuur

Action

Select New Setting

Calculated Setting

Configure ACL & Options

Inherited

Not Allowed (Inherited)

Configure Options

Inherited

Not Allowed (Inherited)

Access Administration Interface

Inherited

Not Allowed (Inherited)

Create

Allowed

Allowed

Delete

Inherited

Not Allowed (Inherited)

Edit

Allowed

Allowed

Edit State

Allowed

Allowed

Edit Own

Allowed

Allowed

Edit Custom Field Value

Not Allowed (Inherited)

Praktijk Casus | Front-end toegang

CASSIOPEIA

You are here: [Home](#) / [MN_Ledenportaal](#)

AT_Welkom leden!

Details

Written by: demo-acl.siteadmin

Category: [CT_ledeninfo](#)

Published: 11 June 2025

Hits: 0

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean dignissim facilisis vulputate. Integer eleifend sollicitudin efficitur. Duis a condimentum massa. Curabitur venenatis turpis sit amet turpis congue dapibus. Sed lobortis consectetur dui, non sodales ex pretium in. Pellentesque gravida orci velit, eu sagittis quam rhoncus sit amet. Nullam bibendum vehicula neque, eu consequat massa malesuada in. Aliquam eget tempus nunc. Phasellus lobortis volutpat pharetra. Proin ornare enim nulla, quis consectetur nisl molestie ac. Maecenas scelerisque interdum ipsum eu aliquet. Duis varius mollis risus at tempus. Quisque elementum enim urna, sit amet dignissim tortor blandit non. Praesent ac odio tempor leo tempor accumsan.

In finibus dolor a posuere laoreet. Sed sollicitudin posuere urna, eu porttitor nisi commodo at. Aenean tempor interdum eros in rutrum. Maecenas ut lectus ligula. Ut nec pharetra orci, nec egestas ipsum. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi id vehicula sapien, quis tincidunt sem. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos.

New Article

Main Menu

[Home](#)

[MN_Ledenportaal](#)

[Logout](#)

[Edit](#)

Praktijk Casus | Log-in / Log-out

In menu instellen


Wordt getoond als je niet ingelogd bent.
Verdwijnt als je wel ingelogd bent

☐	:	☒	Login Alias: login Users » Login Form	Main Menu	☐	Guest	111
☐	:	☒	Logout Alias: logout Users » Logout	Main Menu	☐	Registered	110


Wordt getoond als je ingelogd bent



Praktijk Casus | Log-in / Log-out



Wordt getoond als je niet ingelogd bent.
Verdwijnt als je wel ingelogd bent



Wordt getoond als je ingelogd bent



Tips & Tricks | Checklist (1)

Voorbereiding

☐ Doelgroepen in kaart gebracht
(Wie mag wat zien/doen?
Bijvoorbeeld: bezoekers, leden,
redacteurs, beheerders)

☐ Inhoudscategorieën bepaald
(Bijvoorbeeld: publieke info,
ledenpagina's, bestuur, archief)

☐ Overzicht gemaakt van benodigde
componenten
(Welke componenten hebben
aangepaste toegang nodig?)

Gebruikersgroepen

☐ Nieuwe groepen aangemaakt indien
nodig
(Altijd onder de juiste oudergroep
plaatsen!)

☐ Namen gekozen die logisch en
herkenbaar zijn
(bv. “Trainers”, “Leden”,
“Redacteuren”)

☐ Groepen correct hiërarchisch
gestructureerd

Tips & Tricks | Checklist (2)

Toegangslevels (Access Levels)

- ☐ Nieuwe toegangsniveaus aangemaakt
(Bijv. “Alleen leden”, “Trainers & Bestuur”)
- ☐ Toegangsniveaus gekoppeld aan juiste gebruikersgroepen
- ☐ Toegangsniveaus toegekend aan content (menu-items, modules, artikelen)

Machtigingen (Permissions)

- ☐ Op het juiste niveau rechten ingesteld (globaal, component, categorie, artikel)
- ☐ Alleen afwijken van standaard wanneer nodig (minder = beter te beheren)
- ☐ Rechten per groep doorgenomen:
 - ☐ Mag deze groep inloggen op front-end?
 - ☐ Mag deze groep inhoud bewerken? Publiceren?
 - ☐ Mag deze groep gebruikers beheren?
- ☐ Rechten geverifieerd met testgebruikers

Tips & Tricks | Checklist (3)



Contentinstellingen

- ☐ Artikelen/categorieën gekoppeld aan juiste Access Level
- ☐ Menu-items en modules gekoppeld aan juiste Access Level
- ☐ Eventueel menu-items gedupliceerd (zichtbaar voor verschillende groepen)



Test & Validatie

- ☐ Ingelogd als gebruiker van elke groep: klopt toegang en rechten?
- ☐ Toegang getest op mobiel en desktop
- ☐ ACL Debug Plugin ingeschakeld om rechten te controleren (System > Plugins > "System - Debug Users")

Documentatie

https://docs.joomla.org/J3.x:Access_Control_List_Tutorial

Users -> Access Levels

Public	Alleen wanneer de toegang ingesteld is op Public, zal de betreffende inhoud voor iedereen zichtbaar zijn
Guest	Zorgt ervoor dat iets alleen door niet-ingelogde geregistreerde gebruikers te zien is.
Registered	De betreffende inhoud is alleen te zien wanneer een geregistreerde gebruiker is ingelogd.
Special	Zet je de toegang op Special dan kan de content alleen benaderd worden door Beheerders en alle onderliggende groepen (Administrators en Super Users). LET OP: Alles in het administratiepaneel van de site is toegewezen aan het Special toegangsniveau zodat het alleen toegankelijk is voor de gebruikers die er toegang toe hebben. Aangezien dit toegangsniveau de toegang tot de achterkant van uw site regelt, mag deze onder geen enkele voorwaarde worden gewijzigd of loopt u het risico de toegang tot het administratiegebied van uw site te verliezen. M.a.w. een gebruiker (of de gebruikersgroep van die gebruiker) moet in special zitten. Daarmee is/wordt inhoud van de back-end zichtbaar.
Super users	Groep voor de super users. Gebruikers in deze groep mogen alles.